
MULTIFIX®

FASTENERS

i-JET® TWISTA® SCREWS



Timberfix® MAX®



Timberfix® CSK® MAX®



ABOUT US

MULTIFIX was established in 1978 – that's over 46 years of experience in innovation and good influence in industrial fixings and fasteners.

MULTIFIX has 2 warehouses in Cape Town, and one in Roodepoort Gauteng, with Distributors both Nationwide across South Africa, and beyond its borders.

The MULTIFIX "Package": -

When it comes to fasteners MULTIFIX has a big advantage with its comprehensive range of quality products, ranging from small screws to really large screw products, from metal anchors to chemical fixings.

In addition,i ts drilling systems for concrete, brick, ceramic and steel, compliment its anchor range, as do the screwdriver bits for its extensive range of screw products.

But none of the above are of any benefit to customers without good, well trained efficient and dedicated sta ffof which MULTIFIX is extremely proud.

Modernity through technology without losing the human factor is a critical element of MULTIFIX's success, and of course you, our customer always have been and always will come first.

We look forward to many more years of servicing the building industry and allied trades.

marconibeam@multifix.co.za **goodwood@multifix.co.za** **gauteng@multifix.co.za**

www.multifix.co.za

APRIL 2024 CO.REG No. 1984/07784/07

CONTENTS

GROUPING	CONTENTS	PAGE
Medium to Heavy & Chemical Fixings		4 - 11
Pouring Mortar & Adhesive		12 - 15
Pointed Screw Products & More Pointed Screw Products		16 - 31
Light Fixings		32 - 36
Hollow-wall Fixings		37 - 38

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

CONTENTS

GROUPING	CONTENTS	PAGE
Screw Driving Systems		39 - 41
Roofing & Cladding LSF		42 - 48
Blind Rivets		49 - 50
Medium Fixings		51 - 53
MULTIFIX Rotary Hammer	 	54 & 65
Drilling Systems Chasing and Chiseling Tools		55 - 64

CONTENTS

GROUPING	CONTENTS	PAGE
Nuts & Bolts		66
Abrasives		67, 69 - 70
Blades & Saw Blades		71
Spacers		72
Wire Nails		73
Tapes Butyl, Flashing		68
Personal Protective Equipment		74
Sundries		75

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

MULTIFIX® SHIELD ANCHORS



SHIELD ONLY

DIA	HOLE SIZE
M6	12
M8	14
M10	16
M12	20
M16	25



Hooks and eyes available

M5, M6, M8,
M10, M12



LOOSE BOLT

REF	BOLT DIA	HOLE SIZE	MAX FIX THICKNESS
M6 10LB	M6	12	10mm
M6 25LB	M6	12	25mm
M6 40LB	M6	12	40mm
M8 10LB	M8	14	10mm
M8 25LB	M8	14	25mm
M8 40LB	M8	14	40mm
M10 10LB	M10	16	10mm
M10 25LB	M10	16	25mm
M10 50LB	M10	16	50mm
M10 75LB	M10	16	75mm
M12 10LB	M10	20	10mm
M12 25LB	M10	20	25mm
M12 40LB	M10	20	40mm
M12 60LB	M10	20	60mm
M16 15LB	M16	25	15mm
M16 30LB	M16	25	35mm
M16 60LB	M16	25	60mm



STUD PROJECTING

REF	BOLT DIA	HOLE SIZE	MAX FIX THICKNESS
M6 10P	M6	12	10mm
M6 25P	M6	12	25mm
M6 60P	M6	12	60mm
M8 10P	M8	14	10mm
M8 25P	M8	14	25mm
M8 60P	M8	14	60mm
M10 15P	M10	16	15mm
M10 30P	M10	16	30mm
M10 60P	M10	16	60mm
M12 15P	M12	20	15mm
M12 30P	M12	20	30mm
M12 75P	M12	20	75mm
M16 15P	M16	25	15mm
M16 30P	M16	25	35mm
M16 75P	M16	25	75mm

MULTIFIX® THRU-ANCHORS

HIGH TENSILE Z/P



CONCRETE ANCHOR ONLY!

DIA + LENGTH	HOLE SIZE
10 x 75	10mm
10 x 90	10mm
10 x 115	10mm
10 x 150	10mm
12 x 90	12mm
12 x 110	12mm
12 x 130	12mm
12 x 150	12mm
12 x 180	12mm
16 x 90	12mm
16 x 90	16mm
16 x 110	16mm
16 x 130	16mm
16 x 150	16mm
16 x 175	16mm
20 x 110	20mm
20 x 160	20mm
20 x 200	20mm
24 x 180	24mm
24 x 260	24mm

MILD STEEL Z/P



DIA + LENGTH	HOLE SIZE
8 x 60	8mm
8 x 75	8mm
10 x 75	10mm
10 x 90	10mm
12 x 110	12mm
12 x 150	12mm
16 x 110	16mm
16 x 150	16mm

CONCRETE ANCHOR ONLY!

- Available in zinc plated high tensile or mild steel
- High pull-out value thru-fixing
- A complete range of heller SDS-plus or SDS-max drill bits available to ensure accurate hole sizes

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

THUNDERBOLT™

EFFECTIVE IN: Concrete, Brick, Wood, Marble, Block & Stone

HEX HEAD SIZES	
DIA	**LENGTH**
M5	30
	50
M6	30
	50
	75
M8	60
	75
	100
M10	60
	75
	100
	150
M12	75
	100
	150
M16	100
	150



INSTALLATION

To achieve maximum loads the installation process needs to be carried out as follows:




1. Drill hole in the substrate, using drill of correct diameter, ensuring the hole is deep enough to accommodate dust caused by threading action.

   Drill hole perpendicular to substrate and ensure bit is not excessively worn.



2. Remove any loose dust from the hole.



3. Screw in the Thunderbolt with socket wrench. Apply a slight downward pressure to start the self-tapping action.




4. Tighten the Thunderbolt until the fixture is in place. If resistance is experienced while tightening, unscrew one turn and re-tighten, ensuring not to overtighten with excessive torque.



5. For optimum performance, a torque wrench should be utilised. Do not exceed tightening torque shown in the setting detail chart (for max. tightening torque into brick or block, contact the technical advice line).

THUNDERBOLT™

THE NEW AGE FIXING !



The Thunderbolt Anchor range of fixings provided the construction professional with a single fixing Anchor for the majority of fixing needs.

The fixings are suitable for carpenters, plumbers, electricians, builders, roofers, door and window installers, fire, security and telecommunications installers, shopfitters, fencing contractors, ceiling contractors, exhibition contractors, carpet fitters, maintenance heating and ventilation engineers, cladding contractors, kitchen fitters and public utility contractors.

- Thread designed to provide positive anchorage into the substrate.
- Thread provides safe anchorage over full embedment of anchor.
- “No expansion” gives close-to-edge fixing ability.
- Single thread designed to give maximum grip with minimum insertion torque.
- Balancing thread, designed to ensure correct alignment of anchor with drilled hole.
- Threading system allows for TOTAL removal of anchor from substrate, no shield left behind to rust in the event of removing the anchor.
- Can be re-used in certain instances.

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

CHEMICAL FIXINGS

CHEMFIX PURE EPOXY 385ML



CHEMFIX VINYLESTER 410 VESF



CHEMFIX/MULTIFIX POLYESTER SF 300ML



METOLUX CLENZE SANITIZING SPRAY



METOBOND EPOXY BUILDING ADHESIVE



METOSET POURABLE STYRENE-FREE ANCHORING AND REPAIR SYSTEM



SEE FOLLOWING PAGES FOR DETAILS OF ABOVE PRODUCTS

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

chemfix TOTAL SERVICE

CHEMFIX CH+ MAX

Product Name: Chemfix Ch+ Vinylester Resin, Styrene Free

DESCRIPTION

Chemfix Vinylester Resin is a high performance, rapid-curing two-part chemical anchoring system based on a high reactivity unsaturated Vinylester resin in Methacrylate monomers. Appliedin one single action this hybrid resin will produce a cost effective, strong, chemical resistant fixing.

FEATURES

- **ETA Approval (Option 7)**
- **Critical load and overhead applications**
- **Very high chemical resistance**
- **Suitable for underwater applications**







Extrusion tools 410ml



Perforated sleeve for use in hollow brick

HARDENING TIME

BASE MATERIAL TEMPERATURE (°C)	GEL TIME (min)	MINIMUM LOADING TIME (min)	MINIMUM LOADING TIME WET HOLES (min)
25	3	30	60
15	6	35	70
5	12	50	100
-5	50	90	180



Hollow Substrate Fixing



Concrete/ Solid Wall Fixing

ASK FOR A PULL-OUT TEST ON SITE, QUICK AND EASY.

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

chemfix TOTAL SERVICE

POLYESTER RESIN STYRENE FREE

Product Name: Multifix MPE 300 PESF
Chemfix CPE 300 PESF

DESCRIPTION

PESF Low Odour Resin is a high performance, rapid curing two-part chemical anchoring system based on a modified Polyester resin in Methacrylate monomers. Applied in one single action, this resin will produce a cost effective, strong, chemical resistant fixing.

FEATURES

- **Non-flammable**
- **Very low odour**
- **Chemical resistance**
- **Suitable for close-edge applications**
- **Suitable for use in concrete, brickwork, stone and hollow structures, for medium duty applications**
- **Suitable for fixing wall tiles, studs and large screws**
- **Available in 300ml**

Chemfix Products Ltd
12
0679-CPD-0746
Chemfix CH+
ETA-12/0024
ETAG 01-05 Option 7
M8 - M24 / rebar Ø 8 to 25mm
For Use in Uncracked Concrete

INSTYTUT TECHNIKI BUDOWLANEJ
Aprobacie Technicznej
ITB nr AT-15-6900:2006
ASSOCIATION
SOCOTEC QUALITÉ
CAZ 05341
ChubSeal









Perforated sleeve for use in hollow block or hollow brick



Hollow Substrate Fixing



Solid Material Fixing

Available from our distributors throughout South Africa

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

chemfix
TOTAL SERVICE

CHEMFIX PURE EPOXY

Product Name: Chemfix Pure Epoxy 385ml

DESCRIPTION

Chemfix Pure Epoxy is a high performance two-component epoxy resin system with high pull-out values. The epoxy resin is odourless and solvent free. This resin has a very high chemical resistance.

Chemfix Products Ltd
12
0679-CPD-0746
Chemfix CH+
ETA-12/0024
ETAG 01-05 Option 7
M8 - M24 / rebar Ø 8 to 25mm
For Use in Uncracked Concrete

WRAS APPROVED MATERIAL

FEATURES

- **Effective fixing in concrete**
- **Solvent Free**
- **Suitable for variable embedment**
- **Can be used in damp conditions and underwater applications**
- **High performance especially for rebar applications**
- **Product has no shrinkage**
- **For use in concrete**
- **Ideal for hole depths 250mm plus**

WIRE BRUSH





BASE MATERIAL TEMPERATURE (°C)	GEL TIME (min)
25	15
20	16
15	18
5	21



STUDS, NUTS AND WASHERS:

Mild steel Z/P, and High tensile Z/P studs.

Nuts available with flat washers.

A full set of technical data and values available on request.

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

chemfix TOTAL SERVICE

SURFACE HYGIENE SPRAY

Product Name: Metolux CLENZE Surface Spray

Metolux®

Body parts | Interior plastics | Textile | Electronic devices | Tools | Furniture



- Cleans and protects
- Acts immediately to clean the work surface.
- Suitable for all types of surfaces.
- Easy to use; no wiping required.
- Versatile product with multiple uses.
- Composition - Alcohol 70%

DESCRIPTION

Spray for cleaning any type of surface.

The new hydro-alcohol solution for maintaining the cleanliness and hygiene of the work environment.

CHARACTERISTICS

- Acts immediately to clean the work surface.
- Suitable for all types of surfaces.
- Easy to use; no wiping required.
- Versatile product with multiple uses.

MULTIPLE USES INCLUDING:

- Shared work surfaces and workshop tools (e.g. drills, screwdrivers, computers).
- Vehicle exteriors: door handles, windows, panels, doors, fuel gas door, windshield wiper, etc.
- Vehicle interiors: steering wheel, gear shift, window buttons, radio, rearview mirror, etc.
- Textiles: seats, upholstery, dashboard, safety belts, etc.
- Electronic devices: computers, mobile phones, scale, touch screens, etc.
- Tools: scissors, spray guns, compressors, etc.
- Furniture: office furniture, lockers, benches, lifts, etc.

EPOXY BUILDING ADHESIVE

METOBOND 1-1

Metolux

2 Part General Purpose Thixotropic Epoxy Building Adhesive

- Extremely strong structural adhesive with high chemical resistance
- Adhesive for concrete, brick, glass, metals and marble



Pack Size	Pallet
3kg	80

Product Description

General Purpose Epoxy, Building Adhesive, Metolux Metobond has a thixot opic mixed consistency. It is designed predominantly for vertical and overhead applications and is offered as an extremely powerful structural adhesive with high chemical resistance. The product has a unique packaging system which houses the resin and hardener in one container, the hardener housed in the dish lid.

Typical Uses

As a structural adhesive for:
Concrete materials, Brick and Mortar or stone, Ceramic, Tile or Glass elements, all metals incl Iron, Aluminium, Copper etc. Marble, Wooden structures, adhesive or repair applications, bedding in (eg floor tiles), gap crack filling in voids, grouting, ideal for horizontal (overhead) or vertical use.

Application

Apply by trowel, spatula or scraper with a minimum thickness of 1mm. Ensure adhesion takes place while the product is still mobile and tacky. Components should be supported during curing to prevent slippage.

Gel/ Cure Times

	Working Times @ Different Ambient °C for 100g mass of mixed product								
Temp °C	0	5	10	15	20	25	30	35	40
Gel Time (min)	115	100	60	48	45	33	25	19	18
Cure Time (min)	2040	1860	1200	960	570	420	390	360	330

chemfix TOTAL SERVICE

POURABLE ANCHORING RESIN





- Two Part liquid repair mortar for crack repair or to fix rebar or threaded rod into concrete or brick.
- Unsaturated polyester resin, styrene free.
- Metallic can: 5Kg (comp. A - polyester resin) and plastic tube 100g (comp. B - hardener)





Gelling and Curing Times

Base Material Temperature	35	30	25	20	10	5
Typical Gel Time (mins)	6	8	12	18	40	55
Min. Load Time (mins)	50	60	90	120	180	240

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

PULLOUT TESTING MACHINES



HEAVY DUTY PULLOUT TESTING MACHINE 145KN

PULLOUT CAPACITY 25KN FOR LIGHTER LOADS



WE DO PULLOUT TESTS ON SITE, SIMPLY REQUEST !

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

SCREW PRODUCTS

DRY WALL SCREWS



SKIRTING SCREWS



PARTITION FIXING



COACH SCREWS



SECURITY COACH SCREWS



CHIPBOARD SCREWS



WOOD SCREWS



SELF TAPPING SCREWS



DECKING SCREWS A2



DECKING SCREWS A2



CHIPBOARD SCREWS A2



WOOD SCREWS A2



TIMBERFIX SCREWS FOR WOOD



I-JET TWISTA SCREWS



See individual pages relating to each of the above

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

DRY-WALL SCREWS



FINE THREAD
6 x 25
6 x 41



COARSE THREAD
6 x 25
6 x 28
6 x 32
6 x 41



COARSE THREAD
8 x 75



SKIRTING SCREWS
#7 = LENGTH OF THREAD
3,9 x 45
3,9 x 55

Self-drill dry-wall screws, see page 46 for Light steel frame fasteners (LSF) and more

PARTITION FIXING MADE FOR THE JOB

PH2



#8 x 13 TRUSS HEAD SELF DRILL SCREW

PH2 BITS ECONOMY RANGE FOR DRY-WALL SCREWS, AND Wera PH2 LONG-LIFE BITS FOR SELF-DRILL SCREWS.

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

COACH SCREWS & SECURITY COACH SCREWS

COACH SCREWS

DIA	LENGTH
M6	30mm
M6	40mm
M6	50mm
M6	60mm
M6	75mm
M8	30mm
M8	40mm
M8	50mm
M8	60mm
M8	75mm
M8	90mm
M8	100mm
M8	120mm
M10	40mm
M10	50mm
M10	60mm
M10	75mm
M10	90mm
M10	100mm
M10	125mm
M10	150mm
M12	40mm
M12	50mm
M12	60mm
M12	75mm
M12	90mm
M12	100mm
M12	125mm
M12	150mm



ZINC PLATED AND STAINLESS STEEL

SECURITY COACH SCREWS

DIA	LENGTH
M8	60mm
M8	75mm
M10	60mm
M10	75mm



SECURITY COACH SCREWS AND HEX HEAD COACH SCREWS, USED IN CONJUNCTION WITH OUR 10MM BLUE PLUG OR 11MM GREEN PLUG



6MM COACHSCREW WITH 10MM BLUE PLUG



8MM COACHSCREW WITH 11MM GREEN PLUG

CHIPBOARD SCREWS



- *Yellow Zinc and Zinc Plated (Silver)*
- *A full range of sizes from 12mm – 100mm long*
- *Boxed in 500's/1000's for better stock control*
- *Good quality at competitive prices*
- *Pan head available in zinc-plated and black*
- *Some sizes available in packs of 100*

STAINLESS STEEL CHIPBOARD SCREWS



FULL THREAD



PART THREAD

DIA	*LENGTH*
5,0mm	*25mm*
5,0mm	*40mm*
5,0mm	*50mm*
5,0mm	*60mm*
5,0mm	*70mm*
5,0mm	*100mm*

DIA	LENGTH
4.0mm	30mm
4,0mm	40mm
4,0mm	50mm
4,0mm	60mm
4,0mm	70mm

- Boxed per 100/200
- Pozi 2 drive
- Good availability
- Best driven with Wera bits for positive drive

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

WOODSCREWS

STAINLESS STEEL SLOTTED AND POZI

AND HARDENED STEEL Z/P

For aluminium fix into MULTIFIX® brown 2-way expansion plug

CSK Pozi







MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

SELF TAPPING SCREWS









Stainless steel

and zinc-plated





- A full range available in all head forms
- Zinc-plated and **stainless steel**
- **Blunt point** stainless steel
- Pozi or slotted
- Pozi bits available in hardened steel and stainless steel for all screw sizes

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

STAINLESS STEEL DECKING SCREWS

DIA (mm)	LENGTH
5,0	40
5,0	50
5,0	60
5,0	70
5,0	100

DRIVE: TORX T25 AND POZI #2



- Made for the job!
- Self countersinking head
- Notch point for easier driving
- Wera ST.ST Bits available for extra neat work and corrosion resistance

IF THEY ARE NOT STAINLESS STEEL – THEY WILL RUST !!

STAINLESS STEEL DECKING SCREWS

FOR CLIP FIXING

DIA (mm)	LENGTH
4,0	40
4,0	50

DRIVE: SQUARE #1



- V Head with ribs
- Stainless steel **NO rusting**
- Notch point - No pre-drilling required
- Good quality well priced !

SQUARE DRIVE BIT



MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

Timberfix® HEX HEAD SCREWS FOR WOOD



Applications:

- Garage Doors
- Pergolas
- Roof Trusses
- Any Timber joins

No pre-drilling required

Finish:
Zinc-plated and yellow zinc



Notched point drills into timber

Reduced splitting of timber because of the sharp notched point

DIA GAUGE	DIA (mm)	LENGTH
#12	5.5	28
#12	5.5	38
#12	5.5	50
#12	5.5	65 *
#12	5.5	75 *
#12	5.5	90 *
#12	5.5	115
#12	5.5	125
#12	5.5	150
#14	6.3	90
#14	6.3	150

* Also available in Stainless Steel

5/16” and 3/8” nut setters available for driving screws in

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS


i-JET TWISTA



SEE MORE. . .

THE ULTIMATE HARDWOOD FIXING SCREW

Introducing a new range of hardened steel screws that are engineered perfectly for fast, easy hardwood fixing.



Pozi head recess.
Best with Wera Torsion bits on smaller diameters (3.0, 3.5, 4.0) and Wera Impaktor bits on larger diameters (5.0 and 6.0)

Double countersunk head with ribs.
Countersinks head without splitting the timber.

Reamer spiral above thread.
Reduces shank contact friction on larger length screws.

Saw-tooth threads.
Reduces drive torque even in hard wood.

Large notched point.
No pre-drilling required.

i-JET® TWISTA® SCREWS

- Wax lubricated threads
- No pre-drilling required
- Reduces the risk of splitting timber

ANOTHER MULTIFIX® EXCLUSIVE

i-JET TWISTA

YELLOW ZINC	
DIA X LENGTH	DRIVE
3,0 x 16	PZ1
3,5 x 16	PZ2
3,5 x 20	PZ2
3,5 x 25	PZ2
3,5 x 30	PZ2
3,5 x 40	PZ2
3,5 x 50	PZ2
4,0 x 16	PZ2
4,0 x 20	PZ2
4,0 x 25	PZ2
4,0 x 30	PZ2
4,0 x 40	PZ2
4,0 x 50	PZ2
4,0 x 60	PZ2
4,0 x 70	PZ2



YELLOW ZINC	
DIA X LENGTH	DRIVE
5,0 x 40	PZ2
5,0 x 50	PZ2
5,0 x 60	PZ2
5,0 x 80	PZ2
5,0 x 100	PZ2
6,0 x 70	PZ3
6,0 x 100	PZ3
6,0 x 120	PZ3
6,0 x 160	PZ3

IT'S ALL OF THE ABOVE AND MORE !

LIKE YOU'D EXPECT FROM MULTIFIX®

CLASS 3	DIA X LENGTH	5,0X40	5,0X50	5,0X60	5,0X80	5,0X100	6,0X120	6,0X160
	DRIVE	PZ2	PZ2	PZ2	PZ2	PZ2	PZ3	PZ3

Timberfix® MAX®

- HARDENED TIMBER FIXING SCREWS
- **TEST RESULTS AVAILABLE !**
- NO PRE-DRILLING REQUIRED FOR MOST TIMBERS
- FAST, EFFICIENT, LABOUR SAVING
- JOINS TIMBER UP TO 400MM PLUS
- 2 DIAMETERS M6 AND M8 AND LENGTHS FROM 80MM TO 300MM
- WERA LONG LIFE IMPAKTOR BITS TO SUIT
- GOOD AVAILABILITY, EX STOCK FROM OUR 3 WAREHOUSES AND DISTRIBUTORS COUNTRY-WIDE



Wera Impaktor

TORX 30 AND TORX 40 BITS EX STOCK

ALREADY A PROVEN SUCCESS !


6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

Timberfix® MAX®



MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

Timberfix® MAX®

- TOP QUALITY, HARDENED, TIMBERFIXING SCREWS FROM MULTIFIX® FASTENERS
- COMPLIES WITH SANS 1273 : 2011
- PULLOUT AND SHEAR VALUES AVAILABLE
- EX STOCK AVAILABILITY
- TORX30 AND TORX40 Wera BITS EX STOCK
- ASK FOR ONE OF OUR SALES REPRESENTATIVES TO TEST IT WITH YOU AND BE PLEASANTLY SURPRISED



6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

Timberfix® MAX®

DIA	OVERALL LENGTH	THREAD LENGTH	DRIVE	QUANTITY PER BOX
6	70	45	Tx30	100
6	100	65	Tx30	100
6	120	65	Tx30	100
6	140	70	Tx30	100
6	160	70	Tx30	100
6	180	70	Tx30	100

DIA	OVERALL LENGTH	THREAD LENGTH	DRIVE	QUANTITY PER BOX
8	70	45	Tx40	100
8	80	50	Tx40	100
8	100	50	Tx40	100
8	120	80	Tx40	50
8	140	80	Tx40	50
8	160	80	Tx40	50
8	180	80	Tx40	50
8	200	80	Tx40	50
8	220	80	Tx40	50
8	240	80	Tx40	50
8	260	80	Tx40	25
8	280	80	Tx40	25
8	300	80	Tx40	25


MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® HAMMER SCREWS



- Polyethylene plug - no seperating on impact
- Fast, simple fixing
- Hammer – no screwing
- Single element – plug and screw
- Convenient box packing
- Ideal for frame fixing
- No premature expansion
- Quality at a good price
- * Sizes available in stainless steel

CSK SIZES AVAILABLE		
HOLE SIZE (mm)	**DIA x LENGTH**	**MAX FIX THICKNESS (mm)**
5	M5 x 30	5
5	M5 x 40	10
6	M6 x 35	5
6	* M6 x 40	10
6	* M6 x 60	20
6	M6 x 75	25
8	M8 x 45	5
8	M8 x 60	20
8	M8 x 80	30
8	M8 x 100	40
8	M8 x 120	60

PAN HEAD SIZES AVAILABLE		
HOLE SIZE (mm)	**DIA x LENGTH**	**MAX FIX THICKNESS (mm)**
6	M6 x 35	8
6	M6 x 40	10
6	M6 x 45	10

MULTIFIX® WALL PLUGS

STRONG FIXING FOR BRICK AND CONCRETE



BOX PACKED FOR EASY STOCK CONTROL



DIA X LENGTH	HOLE SIZE	SCREW DIA
M5X25	5mm	3,5mm
M6X30	6mm	4,0 - 4,2mm
M8X40	8mm	5,5mm
M10X50	10mm	6,0 - 8,0mm C/S
M12X60	12mm	10,0mm C/S
M14X75	14mm	12,0mm C/S

MULTIFIX® FASTENERS


6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® 2-WAY EXPANSION PLUGS





YELLOW RED BROWN BLUE GREEN

COLOUR CODE	PLUG LEN. (mm)	DRILL SIZE (mm)	SCREW SIZES (mm)				COACH SCREWS (mm)		
YELLOW	22	5,0	3,0	3,5	4,0				
RED	34	5,5		3,5	4,0	5,0			
BROWN	40	7,0			5,0	5,5			
BLUE	45	10,0					6,0	8,0	
GREEN	50	11,0						8,0	10,0



2 - WAY EXPANSION PLUGS,
SUPPLIED WITH 2 CORRESPONDING
HELLER SDS DRILLS PER 1'000 PLUGS

The security coach screw with the ever-popular MULTIFIX® green plug or M10 MULTIFIX® blue plug.

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129


1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

MULTIFIX® MASONRY NAILS

DIA (mm)	LENGTH (mm)
3,0	25
3,0	30
3,0	40
3,0	50
3,0	60

MEDIUM GAUGE CSK HEAD



ZINC PLATED

2,8	25
2,8	30
2,8	40
2,8	50
3,5	60
3,5	70
3,5	80

FLUTED NAILS



- Always use eye protection when driving masonry nails
- A good quality nail for safer fixing
- Average penetration into concrete is 20 – 25mm. Into softer materials deeper penetration is required

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FRAME ANCHORS

DIA (mm)	LENGTH (mm)
10	120
10	140
10	160



- Works in brick and concrete
- Through frame fixing
- Positive fix screwed in to align frame properly
- heller SDS-plus or masonry drills available for each size

ZINC-ALLOY NAIL-INS


HOLE SIZE	DIA	LENGTH
5mm	5mm	22mm
6mm	6mm	30mm
6mm	6mm	40mm
6mm	6mm	50mm



- Simple hammer fixing
- Excellent security fixing
- Fixes into brick and concrete
- Galvanized nail with zinc-alloy body
- Stronger than nylon hammer screws for security applications

PIPE CLIPS





IDEAL FOR

SOLAR AND

PLUMBING

PIPE FIXING

SIZE REF NO	FITS OD PIPE SIZE
#16	15/16mm
#22	22mm
#28	28mm

SIZE REF NO	FITS OD PIPE SIZE
#19	19/20mm

FITS ELECTRICAL 20MM CONDUIT

- **STRONG FLEXIBLE CLIP (NO MORE CRACKED SADDLES)**
- **NO MORE LOOSE PIPE FROM BROKEN SADDLE**
- **GOOD QUALITY MASONRY NAIL**

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383


7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® BROLLY ANCHORS

BROLLY ANCHOR (not to scale)	SIZE REF	THREAD SIZE	HOLE SIZE	GRIP RANGE
	BA3	M3	8mm	3mm – 12mm
	BA6	M5	10mm	4mm – 10mm
	BA8	M5	10mm	6mm – 13mm
	BA9	M5	10mm	14mm – 32mm
	BA11	M6	11mm	3mm – 16mm
	BA13	M6	11mm	14mm – 32mm





THIS EFFICIENT FIXING ENABLES A PERMANENT FIXING POINT TO BE ESTABLISHED ON HOLLOW MATERIALS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129


1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

SPRING TOGGLES

DIA	SCREW LENGTH
M4	50mm
M5	60mm
M6	75mm

- Zinc-plated
- A hollow- material fixing especially useful when fixing onto materials thicker than 25mm
- Standard thread sizes enable longer screws to be used



HOLLOW BRICK PLUGS

M6 x 36
M8 x 50
M10 x 60
M12 x 70
M14 x 70



Provides a secure fixing on hollow brick by knotting up behind the material



MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

Wera QUALITY PRODUCTS

BIT HOLDERS

STANDARD QUICK RELEASE



TH GOLD



FOR WOOD FIXING

TZ GREY



FOR METAL FIXING

LONGER LENGTHS, ALL DRIVES



SQ #	1 x 25
SQ #	2 x 25
SQ #	2 x 50

–	PZ	1 x 25
PH	PZ	2 x 25
PH	PZ	3 x 25

TX	10 x 25
TX	15 x 25
TX	20 x 25
TX	25 x 25
TX	30 x 25
TX	40 x 25

–	PZ	1 x 50
PH	PZ	2 x 50
PH	PZ	3 x 50



LONGER LENGTH BITS AVAILABLE
50
70
89
152

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

Wera STAINLESS STEEL BITS

STAINLESS STEEL POZI BITS





No more of this

STAINLESS STEEL PHLLIPS BITS





Rust prevented by use of stainless steel bit

IMPAKTOR

TORX BITS FOR THAT REALLY TOUGH JOB !

TORX 30



TORX 40





IMPAKTOR BIT-HOLDER

MULTIFIX FASTENERS®

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

IMPAKTOR BITS



6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

ROOFING & CLADDING - STEEL FIX

SELF-DRILLING ROOFING SCREWS FOR STEEL

- All screws comply with AS3566
- Warranties provided
- Traceability
- Good availability



CLASS 3 AND 4	
DIA	LENGTH
#12	19
#12	25
#12	40
#12	50
#12	65
#12	90
#12	115
#12	125
#14	150

Lengths available
19mm – 150mm

YELLOW ZINC	
DIA	LENGTH
#12	19
#12	25
#12	30
#12	38
#12	50
#12	65
#12	70
#12	75
#12	85
#12	90
#12	125
#14	95
#14	115
#14	125

COLOUR HEADS AVAILABLE IN CLASS 3 & CLASS 4



SELF-DRILLING SCREWS FOR STEEL

STITCHING SCREWS

YELLOW ZINC



#12 x 20

STITCHING SCREWS

CLASS 3 & CLASS 4



Reduced Point

#14 x 22

RUST RESISTANT SELF-DRILLERS

Bi-METAL SELF-DRILLERS



STAINLESS STEEL SELF-DRILLERS



DIA	LENGTH
PH2	
4,2	13
4,2	19
4,2	25
4,2	32
4,2	38

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

DEEP DRILLER SELF-DRILL SCREWS

12MM DRILLING CAPACITY !



VARIOUS LENGTHS AVAILABLE



WAFER HEAD SQUARE DRIVE

WAFER HEAD SELF-DRILLING SCREWS

FINE COARSE



SIZES AVAILABLE	
4,8	16mm
4,8	22mm
4,8	45mm
4,8	65mm



SIZES AVAILABLE	
4,8	16mm
4,8	22mm
4,8	45mm
4,8	65mm
5,5	75mm
5,5	85mm
5,5	115mm
5,5	125mm

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

SELF-DRILLING SCREWS FOR STEEL

B8 - CLASS 4, CATEGORY 5 !



Timberfix® SCREWS FOR TIMBER

B8 - CLASS 4, CATEGORY 5 !



6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

LIGHT STEEL FRAME (LSF)

WING SELF-DRILL



CLASS 3 RUSPERT

DIA	LENGTH	DRIVE
#8	32	PH2
#8	45	PH2

ZINC PLATED

DIA	LENGTH	DRIVE
#12	55	PH3
#12	70	PH3

BUGLE HEAD SELF-DRILL



Particle board fibre cement,

With nibs

SELF-DRILL DRY-WALL



FRAME FIXINGS

Hex Head Cone Point for pre-drilled holes



LSF section to pre-drilled hole



ROOFING & CLADDING - TIMBER FIXING

Timberfix® TYPE 17 ROOFING SCREWS



Timberfix® is a registered trademark of MULTIFIX®

COLOURS AVAILABLE



Y/ZINC, CLASS 3 CLASS 4 & B8

DIA (mm)	LENGTH
5.5	28
5.5	38
5.5	50
5.5	65
5.5	75
5.5	90
5.5	115
5.5	125
5.5	150
6.3	90
6.3	150

A2 STAINLESS STEEL

DIA (mm)	LENGTH
5.5	65
5.5	75
5.5	90
6.3	125



EPDM BONDED WASHERS TO SUIT, NON-CONDUCTIVE ALUMINIUM, STEEL, STAINLESS STEEL.

19mm



26mm



Grommets



6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

ROOFING & CLADDING - TIMBER FIXING

CONCEALED FIX SCREWS

Class 3
&
A2
Stainless
Steel



For TIMBER

CONCEALED FIX SCREWS



Class 3

i-JET®
TWISTA

For TIMBER

Timberfix® A2

STAINLESS
STEEL
TIMBER
FIXING



Ex stock

POLYCARB SHEETING TO TIMBER



Class 3
&
Class 4

NUT SETTERS

1/4”
5/16”
3/8”



MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

BLIND RIVETS



DOMED HEAD | **COUNTER -SUNK** | **SEALED** | **LARGE FLANGE** | **PEELED** | **GROOVED**

All rivets available in diameters: 3,2 4,0 4,8

Lengths from: 6,0mm to 40mm.

RIVET WASHERS



DOME COLOUR RIVETS




White, ivory, and charcoal rivets especially stocked for guttering applications

COUNTERSUNK COLOUR RIVETS



Bulb-tite/ Multi-tite Rivets for stitching applications





Refer to page 62 for high speed drills to use with rivets

RIVETING TOOLS

LAZY-TONG TYPE RIVETER



3,2 Aluminium & steel
4,0 Aluminium & steel
4,8 Aluminium

HAND RIVETER



3,2 Aluminium & steel
4,0 Aluminium

LONG ARM RIVETER



3,2 Aluminium & steel
4,0 Aluminium & steel
4,8 Aluminium

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® WIRE HANGERS



WIRE HANGER

A purpose-made anchor for fixing ceiling wire hangers or suspending signs into **concrete**

Hole size: 6mm

M6 x 60

PURLIN CLIP



Size: 20 x 40

For suspending ceiling from Purlins

SUSPENSION ANCHOR



A fixing anchor made especially for suspended ceilings and for signage that needs to be suspended.

Hole size: 6,5mm

6.5 x 36

Effective in brick and concrete

heller bits available for that tough concrete !

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

MULTIFIX® SLEEVE ANCHORS



SIZE	HOLE SIZE	THREAD SIZE	MAX FIXING THICKNESS
8 x 40	8	6	5
8 x 65	8	6	15
10 x 50	10	8	10
10 x 60	10	8	20
10 x 75	10	8	25
10 x 100	10	8	50
12 x 60	12	10	10
12 x 75	12	10	20
12 x 125	12	10	60
16 x 65	16	12	10
16 x 110	16	12	40
16 x 150	16	12	75
20 x 75	20	16	15
20 x 100	20	16	30
20 x 150	20	16	50

- Sleeve anchors are effective in brick and concrete if accurate hole sizes are drilled.
- heller SDS Plus bits are recommended.
- Ideal for through-fixing applications.

MULTIFIX® DROP-IN ANCHORS

ANCHOR PUNCH

This anchor is expanded by hammering on the punch inserted into the anchor which must be seated on bottom of hole





- Bright zinc-plated
- For fixing into concrete
- Can be set at any depth
- Ideal for threaded rods. Pre-assembled anchor. Four-way expansion

REF	THREAD DIA (mm)	THREAD DEPTH (mm)	O/A LENGTH (mm)	DRILL SIZE (mm)
ND 6	6	11,5	25	8
ND 8	8	14	30	10
ND 10	10	14	40	12
ND 12	12	20	50	16
ND 16	16	25	60	20
ND 20	20	35	80	25

BRASS NON-DRILL ANCHOR

This anchor is expanded when the bolt or set screw is screwed into the anchor's thread



THREAD	ANCHOR LENGTH	HOLE SIZE (mm)
M6	24	8
M8	31	10
M10	34	12

MULTIFIX® ROTARY HAMMER

MBH2-24DRE



TECHNICAL DATA

- Input power (W) 790 W
- Impact energy (J) 2.7
- Max. drilling capacity(mm) 24 (in concrete)
- No load speed (rpm) 0-1300
- Impact rate (bpm) 0-4200
- Weight (kg) 2.8 kg
- Length/Height (mm) 367/210

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

heller SDS-PLUS HAMMER BITS

A FULL RANGE OF SIZES EX STOCK!

MULTIFIX® is the sole South African distributor of heller SDS-Plus hammer bits

DIA (mm)	EFF DRILL LENGTH
4.0	50
5.0	50
5.0	100
5.5	50
5.5	100
6.0	50
6.0	100
6.0	200
6.0	300
6.5	50
6.5	100
6.5	150
7.0	100
7.0	150
8.0	100
8.0	150
8.0	200
8.0	400
9.0	150
10.0	50
10.0	100
10.0	150
10.0	200
10.0	250
10.0	400
10.0	550
11.0	100
12.0	100
12.0	150
12.0	200
12.0	400
12.0	550

DIA (mm)	EFF DRILL LENGTH
12.0	950
13.0	100
14.0	100
14.0	150
14.0	200
14.0	250
14.0	400
15.0	100
15.0	150
15.0	400
16.0	100
16.0	150
16.0	250
16.0	400
16.0	550
16.0	950
18.0	150
18.0	250
18.0	400
20.0	150
20.0	250
20.0	400
20.0	550
20.0	950
22.0	200
22.0	400
24.0	200
24.0	400
25.0	200
25.0	400
26.0	200
26.0	400



Bionic cutting edge
sharp tooth profile with side-grinding zones for quick drill advance.



Twinmax spiral
for optimised transfer of the impact energy and removal of drilling waste due to the computer-optimised spiral profile.



Sizes from
M4 – M26
up to 950mm
LONG



This is a product for you if you are tired of poor quality. This is a well-priced, good quality product

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

heller SDS- PLUS TRIJET

EXTRA LONG LIFE IN CONCRETE



ACCURATE HOLES SIZE IN TOUGH CONCRETE



Multi-Cutter

Diameters 5 – 16mm

DIA (mm)	EFF LENGTH
5,0	50
5,5	50
6,0	100
6,0	200
7,0	100
8,0	100
10,0	100
12,0	100
12,0	150
12,0	400
14,0	100
14,0	150
14,0	200
16,0	150
16,0	400

For that REALLY tough concrete!

TOUGH AGAINST REBAR

DON'T BUY CHEAP, SAVE YOURSELF MONEY AND BUY HELLER TRIJET

Other lengths available on request.

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

heller DRILLING SYSTEM



TOP QUALTITY RATIO CORE DRILLS

From 40mm
to 150mm
Lengths 300mm
to 1500mm

CORE RATIO PILOT BIT.



SDS-MAX STAR BREAKER



Asynchronous
drill-head structure



WINNER

EXT SHANK



RATIO ADAPTOR



CORE SIZES (mm)
40,0
50,0
65,0
80,0
90,0
100,0
125,0
150,0

IDEAL FOR AIR-CONDITIONING INDUSTRY

DIA (mm)	LENGTH
55,0	550
65,0	550

INDIVIDUAL PARTS ARE REQUIRED

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

heller TRIJET SDS-MAX



Dia (mm)	Working Length (mm)	Overall Length (mm)
12	200	340
12	400	540
14	200	340
14	400	540
16	200	340
16	400	540

DIAMETERS 12mm, 14mm, 16mm



SEE Y-CUTTER FOR DIA'S 18MM-50MM ON PAGE 59

- Fast dust clearance
- Long life
- Reduced stress on tool and operator
- Quality for hard concrete

Other lengths available on request.

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

heller Y-CUTTER SDS-MAX





Other lengths available on request.

Up to 1200mm available ex-stock.

SDS MAX®

Diameters 18mm to 50mm

Dia (mm)	Working Length (mm)	Overall Length (mm)
18	200	340
18	400	540
18	800	940
20	200	320
20	400	520
20	800	920
22	200	320
22	400	520
24	200	320
24	400	520
25	200	320
25	400	520
25	800	920
25	1200	1320
26	200	320
26	400	520
28	400	520
28	600	720
32	600	720
32	1200	1320
38	400	520
40	400	520
40	800	920
40	1200	1320
45	400	520
50	400	520

heller CHISELS

– QUALITY AND MORE

SDS-PLUS

POINTED



FLAT



GOUGE



TILE



For all chiselling applications the correct tool is available

- Long service life
- Forged from one piece and can be resharpened

SDS-MAX

POINTED



FLAT



GOUGE



TILE



SPADE



CHASING



TOOTH



FITS ALL SDS-MAX MACHINES

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® MASONRY DRILLS



STANDARD LENGTH

DIA (mm)	O/A LENGTH
4	75
5	85
5.5	95
6	100
7	100
8	120
10	120
11	120
12	150
14	150
16	150

EXTRA LENGTH

DIA (mm)	O/A LENGTH
6	150
7	150
8	200
10	200

WALL SERIES

DIA (mm)	O/A LENGTH
6	400
8	400
10	400
12	400
16	400

Straight shank masonry drill for 10/13mm chucks

DIAMOND TIPPED HOLE SAWS FOR TILES



M6
M8
M10
M12
M14

CERAMIC MASTER

DIA (mm)	O/A LENGTH
4	60
6	60
8	75
10	80
13	100

For:

- Ceramics
- Tiles
- Glass

Can be resharpened.



6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

MULTIFIX® HIGH SPEED STEEL DRILLS



- Industrial Quality - Long Life
- All sizes available in each group
- Ideal for **BLIND RIVET** applications

YOU DON'T NEED TO BE FRUSTRATED BY POOR QUALITY ASK FOR A SAMPLE TO TEST !



DOUBLE -END STUB



SINGLE -END STUB



STRAIGHT SHANK



REDUCED SHANK

COBALT HIGH SPEED DRILLS



For Stainless Steel Drilling

Industrial Quality

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® HINGE BORING BIT

HINGE BORING BIT TCT 35MM







MULTIFIX® HEAVY DUTY HOLE SAW FOR METAL







DIAMETERS AVAILABLE
M20
M22
M25
M30
M32
M40
M50
M75

IDEAL PRODUCT FOR ELECTRICIANS, PLUMBERS ETC.

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

MULTIFIX® BI-METAL HOLESAWS

BI-METAL **HOLE SAW**

M14 – M152

Vari-pitch toothing for less vibration and clean cutting, good true running.





DIA (mm)	LENGTH (mm)	SCREW THREAD
14,0	32,0	1/2" – 20
16,0	32,0	1/2" – 20
17,0	32,0	1/2" – 20
19,0	32,0	1/2" – 20
20,0	32,0	1/2" – 20
21,0	32,0	1/2" – 20
22,0	32,0	1/2" – 20
24,0	32,0	1/2" – 20
25,0	32,0	1/2" – 20
27,0	32,0	1/2" – 20
29,0	32,0	1/2" – 20
30,0	32,0	1/2" – 20
32,0	32,0	5/8" – 18
33,0	32,0	5/8" – 18
35,0	32,0	5/8" – 18
37,0	32,0	5/8" – 18
38,0	32,0	5/8" – 18
40,0	32,0	5/8" – 18
41,0	32,0	5/8" – 18
43,0	32,0	5/8" – 18
44,0	32,0	5/8" – 18
46,0	32,0	5/8" – 18
48,0	32,0	5/8" – 18
50,0	32,0	5/8" – 18
51,0	32,0	5/8" – 18
52,0	32,0	5/8" – 18
54,0	32,0	5/8" – 18

DIA (mm)	LENGTH (mm)	SCREW THREAD
57,0	32,0	5/8" – 18
59,0	32,0	5/8" – 18
60,0	32,0	5/8" - 18
64,0	32,0	5/8" – 18
65,0	32,0	5/8" – 18
67,0	32,0	5/8" – 18
68,0	32,0	5/8" – 18
70,0	32,0	5/8" – 18
73,0	32,0	5/8" – 18
76,0	32,0	5/8" – 18
79,0	32,0	5/8" – 18
83,0	32,0	5/8" – 18
86,0	32,0	5/8" – 18
89,0	32,0	5/8" – 18
92,0	32,0	5/8" – 18
95,0	32,0	5/8" – 18
98,0	32,0	5/8" – 18
102,0	32,0	5/8" – 18
105,0	32,0	5/8" – 18
108,0	32,0	5/8" – 18
111,0	32,0	5/8" – 18
114,0	32,0	5/8" – 18
121,0	32,0	5/8" – 18
127,0	32,0	5/8" – 18
140,0	32,0	5/8" – 18
142,0	32,0	5/8" – 18

BOSCH
Invented for life

POWER TOOLS



IMPACT DRIVER



BATTERY DRILL



PERCUSSION DRILL



115mm GRINDER



230mm GRINDER



JIGSAW

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

SETS, NUTS & BOLTS



High tensile electro galv



Mild steel electro galv and hot -dipped



Cup square Bolt and nut

THREADED ROD E/G AND STAINLESS STEEL M5 – M30



STAINLESS STEEL DOME NUTS AND FLAT WASHERS



MACHINE SCREWS



Steel

Stainless steel

Brass

WASHERS: ALL SIZES



Nuts



Flat washers



Fender washers



Nyloc nuts Z/P & ST.Steel



Square washers

THREADED ROD SUPPLIED EXTENSIVELY WITH NUTS, WASHERS AND FENDER WASHERS.

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

DIAMOND BLADES



SEGMENTED





115mm and 230mm

MULTIFIX® CONTINUOUS RIM TURBO DIAMOND BLADE



No jagged edges

230mm




6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

BUTYL TAPE FOR SEALING



Seals and bonds IBR and corrugated sheeting



The light grey Butyl tape is ideal for polycarb and fibreglass sheeting!
(black line used in diagram)






**European quality,
very competitively priced**

TACK BAND AD

Flashing tapes

HIGH PERFORMANCE SELF-ADHESIVE BUTYL SEALING TAPE WITH



STRONG ADHESION TOP QUALITY LIKE YOU'D EXPECT FROM MULTIFIX®

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129


1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

STEEL CUTTING DISCS

MAXXCUTT® BY NAME MAXXCUTT® BY NATURE !

115mm for steel

230mm for steel



Top quality and durability – as you'd expect from MULTIFIX®

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

MULTIFIX® MASONRY & STEEL

115x1,0
INOX STEEL CUTTING



STANDARD QUALITY, BUT STILL GOOD !

115 x 1,0 LONG LIFE
INOX STEEL CUTTING



FOR THOSE EXTRA TOUGH JOBS !



355MM STEEL CUTTING



230MM MASONRY CUTTING

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

SAW BLADES



230mm TCT for wood and 255mm TCT for Aluminium





Jigsaw Blades
for all types of power tools

DRY-CUT ROOF SHEET BLADE !



QUALITY SENSIBLY PRICED !

185mm Roofing Blades
185 x 1,7 x 70T x 20mm

Utility Cutting Knife Tool and Blades



Industrial Quality Blades in Dispenser





Blades in 100-pack safety dispenser and 10-pack safety dispenser

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

SPACERS FOR CONCRETE

WHEEL SPACER FOR COLUMNS



DELIVERED TO SITE

CIRCULAR FOR DECKING



Packed in bags of 500 or 1000 depending on size

COVER
20
25
30
40
50
60
75

FIBRE CEMENT SPACERS (BONE-SHAPED)



COVER
25
30
35
40
50
60
75
100

COVER
20
25
30
35
40
50

FIBRE CEMENT SPACERS (HORIZONTAL)



Another part of the complete MULTIFIX® service

MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

WIRE NAILS

WIRE NAILS
(Packed in 5kg and 25kg cartons)



PANEL PINS
(Packed in 5kg cartons)



CLOUT NAILS
(Packed in 25kg cartons)



6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

PERSONAL PROTECTIVE EQUIPMENT



BLUE FACE MASK DISPOSABLE



FACE MASK KN95

NON CONTACT INFRARED THERMOMETERS

EX STOCK



BATTERIES NOT INCLUDED

LED DISPLAY



SUBJECT TO AVAILABILITY



MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

SUNDRIES

SILICONE

Various colours available

BARRIER NETTING 2 COLOUR



CHUCKS + KEYS



10mm – 13mm – 16mm

HACKSAW BLADES




FURNITURE SCREWS



PU FOAM

CARBON BRUSHES



For Bosch and Makita tools

RAGS FOR CLEANING “MIXED AND WHITE”

CABLE BUDDY



Cable protector

DISCLAIMER
Although every care has been taken for the information provided in this catalogue to be accurate, because of the varied applications and uses of the products MULTIFIX (PTY) LTD, MULTIFIX Fasteners (PTY) LTD and its Directors cannot be held responsible for damage, injury or death caused as a result of one if its products being used. For detailed information on any of our products please contact our Technical Department for detailed specifications, pullout and shear values of each product.

COPYRIGHTS
No part of this catalogue may be copied without written permission from the Directors of MULTIFIX (PTY) LTD.
MULTIFIX (PTY) LTD and MULTIFIX Fasteners (PTY) LTD reserves the right to amend or update the information relating to its products in an ongoing situation of range extension and improvement.

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

WAREHOUSES









DELIVERY VEHICLES



MULTIFIX® FASTENERS

6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

PRODUCT INDEX BY ALPHABETIC DESCRIPTION

A. A2 SCREWS:
- CHIPBOARD **19**
- COACH **18**
- DECKING **22**
- SELF- DRILLS **43**
- SELF-TAPPING **21**
- TIMBER-FIX **48**
- WOOD **20**

A2 HAMMER SCREWS **31**
A2 BOLTS, SETS **66**
- NUTS **66**
- FLAT WASHERS **66**

A2/A4 STUDS **66**

A. ABRASIVES **69, 70**
ACCESSORIES FOR ROTARY HAMMERS **55, 56, 60**
ADHESIVE EPOXY **13**
ANGLE GRINDERS **65**

B. B8 SCREWS **45**
BARRIER NETTING **75**
BATTERY POWER TOOLS **65**
BI-METAL SCREWS **43**
BIT HOLDERS **39, 40, 41**
BITS FOR STEEL **62**
BLIND RIVETS + TOOLS **49, 50**
BLUNT POINT SELF-TAPPER SCREWS **21**
BONDED WASHERS **47**
BOLTS + NUTS **66**
BOSCH POWER TOOLS **65**
BRASS ANCHORS **53**
BROLLY ANCHORS **37**
BUGLE HEAD SCREWS **17, 46**
BULB TITE RIVETS **49**
BUTYL TAPE **68**

C. CABLE BUDDY **75**
CATEGORY 5 SCREWS **45**
CARBON BRUSHES **75**
CENTRE DRILLS **63, 64**
CERAMIC TILE DRILLS **61**
CHEMICAL MORTAR **8, 9, 10, 13**
CHISELS FOR ROTARY HAMMERS **60**
CHUCKS + KEYS **75**
CLOUT NAILS **73**
COBALT STEEL DRILLS **62**
COLOUR HEADED SCREWS **42**
CORE DRILL FOR CONCRETE/ BRICK **57**
CUTTING KNIFE BLADES + TOOLS **71**

D. DIAMOND BLADES **67**
DIAMOND DRILLS **61**
DOME NUTS **66**
DROP-IN ANCHORS **53**
DRY WALL SCREWS **17**

E. "EPOXIES" **8, 9, 10, 13**
EXPANSION PLUGS **33**
EXTRUSION TOOLS **10**

F. FLASHING TAPE **68**
FRAME ANCHORS **35**

G. GOLD WERA PZ, PH BITS **39, 40**
GROMMETS **42, 43**
GUNS: CHEMICAL MORTAR **9, 10**
GUNS: SILICONE **10**

H. HAMMER SCREWS **31**
HEAVY DUTY HOLESAWS **63**
HEAVY FIXINGS **4, 6, 8**
HIGH SPEED STEEL DRILLS **62**
HOLESAWS **63, 64**
HOLLOW CORE DRILLS **57**
HOLLOW WALL FIXINGS **38**

I. I-JET SCREWS **24, 25, 26**
IMPACT DRIVERS **65**
IMPAKTOR BITS + HOLDERS **40, 41**

J. JET SCREWS **24, 25, 26**
JIGSAW BLADES **71**

K.

L. LIGHT FIXINGS **32 - 38**

M. MASONRY DRILLS **61**
MASONRY NAILS **34**
MEDIUM FIXINGS **4, 5, 6, 8**
MULTIFIX ROTARY HAMMER **54**
MULTI-TITE RIVETS **49**

N. NAIL-IN ANCHORS **31**
NON-DRILL ANCHORS **53**
NUTS AND BOLTS **66**
NUT-SETTERS **48**

O.

PRODUCT INDEX BY ALPHABETIC DESCRIPTION

P.
PERFORATED SLEEVES **10**
PIPE CLIPS **36**
POLYESTER CEMENT **10**
POURING MORTAR **14**
P.P.E **74**
POWER TOOLS BOSCH **65**
POZI BITS, PHILLIPS BITS **39, 40, 41**
PURLIN CLIPS **51**
PULL OUT TEST MACHINES **15**

R.
RIVETS AND RIVETING TOOLS **49, 50**
ROTARY HAMMER BITS SDS **55, 56**
ROTARY HAMMER BITS SDS MAX **57, 58, 59**
ROTARY HAMMER MACHINES **54**
RUST RESISTANT SCREWS **43, 45**

S.
SAWBLADES **71**

SCREWS, VARIOUS:
- CHIPBOARD **19**
- COACH **18**
- CLADDING **42, 43, 44, 45**
- CONSTRUCTION **27, 28, 29**
- DECKING **22**
- DRY WALL **17**
- LIGHT STEEL FRAME (LSF) **46**
- ROOFING: **42 - 48**
- SECURITY **18**
- SELF-DRILL **42 - 48**
- SELF-TAPPING **42 - 46**
- SKIRTING **17**
- STITCHING **43**
- TIMBERFIX **23**
- TIMBERFIX MAX **27 - 30**
- WAFER HEAD **44, 48**
- WING **46**
- WOOD SCREWS **20**

SELF-TAPPING ANCHORS **6, 7**
SHIELD ANCHORS **4**
SOLAR HEATING PIPE CLIPS **36**
SPACERS **72**
SPRING TOGGLES **38**
STUDS
SUSPENSION ANCHORS **51**

T.
TESTING MACHINES **15**
THREADED ROD **66**
THRU ANCHORS **5**
THUNDER BOLTS **6, 7**
TILE DRILLS **61**
TIMBERFIX **47, 48**
TIMBERFIX MAX **27 - 30**
TORX BITS **39**
TYPE 17 SCREWS **23, 47**
TOOLS EXTRUSION + SILICONE **9, 10, 11**
TRI-JET HAMMER BITS **56, 58**
TWO-WAY EXPANSION PLUGS **33**

U.
UMBRELLA ANCHORS **37**

V.

W.
WALL PLUGS **32**
WERA BITS **39 – 41**
WING SELF-DRILLL **46**
WIRE HANGER **51**
WIRE NAILS **73**
WOODSCREWS **20**

X.

Y.

Z.
ZINC ALLOY NAIL-INS **35**
ZEES CATALOGUE, WE HOPE YOU ENJOY ! **1 - 80**

REGISTERED TRADEMARKS

The following are registered trademarks of MULTIFIX (PTY) LTD and MULTIFIX FASTENERS (PTY) LTD.

MULTIFIX®

Timberfix®

Timberfix® MAX®

Timberfix® CSK® MAX®

THRU ANCHOR®

i-JET®

i-JET® TWISTA® SCREWS

MAXXCUTT®


NOTES:-

LOCATIONS

HONEYDEW, ROODEPOORT

LAT: -26,0805 | LONG: 27.9173

GPS COORDINATES
26° 4' 50'' S
27° 55' 2'' E



MARCONI BEAM, CAPE TOWN

LAT: -33,8704 | LONG: 18.5070

GPS COORDINATES
33° 52' 13,5'' S
18° 30' 25'' E



GOODWOOD, CAPE TOWN

LAT: -33,9100 | LONG: 18.5580

GPS COORDINATES
33° 54' 36'' S
18° 33' 29'' E



6 Marinus Road
Marconi Beam,
Milnerton, Cape Town
021 552 0383

7 Vasco Boulevard
Goodwood,
Cape Town
021 591 9129

1055 Ridge Road
Laser Park, Honeydew
Roodepoort
011 791 1851

MULTIFIX® FASTENERS

MULTIFIX®
FASTENERS





